

Message

---

**From:** Leonard, Paul [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C348ED6CB853415DA623E178603CBC25-PLEONARD]  
**Sent:** 5/15/2017 4:37:46 PM  
**To:** Koffi, LaRonda [Koffi.LaRonda@epa.gov]  
**Subject:** FW: AX-17-000-8387 Cleanup of Bishop Tube Company

I gave it to her just now to peek at. Also going to send you the NNA write-ups to look for enhancement as you do well.

**Paul Leonard**  
**Deputy Director**  
**Hazardous Site Cleanup Division(3HS00)**  
**USEPA Region 3**  
**215 814 3350**

---

**From:** Melvin, Karen  
**Sent:** Monday, May 15, 2017 12:27 PM  
**To:** Koffi, LaRonda <Koffi.LaRonda@epa.gov>; Leonard, Paul <leonard.paul@epa.gov>  
**Subject:** RE: AX-17-000-8387 Cleanup of Bishop Tube Company

Can I see it first?

**KAREN MELVIN, DIRECTOR**  
**HAZARDOUS SITE CLEANUP DIVISION**  
**US EPA, REGION 3**  
**1650 ARCH STREET**  
**PHILADELPHIA, PA 19103**  
**215-814-3275**



---

**From:** Koffi, LaRonda  
**Sent:** Monday, May 15, 2017 8:17 AM  
**To:** Leonard, Paul <[leonard.paul@epa.gov](mailto:leonard.paul@epa.gov)>; Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>  
**Subject:** RE: AX-17-000-8387 Cleanup of Bishop Tube Company

## Ex. 5 Deliberative Process (DP)

---

**From:** Koffi, LaRonda  
**Sent:** Monday, May 15, 2017 8:15 AM  
**To:** Leonard, Paul <[leonard.paul@epa.gov](mailto:leonard.paul@epa.gov)>; Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>  
**Subject:** RE: AX-17-000-8387 Cleanup of Bishop Tube Company

I'll ask for an extension.

---

**From:** Leonard, Paul  
**Sent:** Monday, May 15, 2017 8:09 AM  
**To:** Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>; Koffi, LaRonda <[Koffi.LaRonda@epa.gov](mailto:Koffi.LaRonda@epa.gov)>  
**Subject:** RE: AX-17-000-8387 Cleanup of Bishop Tube Company

Yaz has it. Just realized I hadn't responded. She got it on Thursday

**Paul Leonard**  
**Deputy Director**  
**Hazardous Site Cleanup Division(3HS00)**  
**USEPA Region 3**  
**215 814 3350**

---

**From:** Melvin, Karen  
**Sent:** Monday, May 15, 2017 8:03 AM  
**To:** Koffi, LaRonda <[Koffi.LaRonda@epa.gov](mailto:Koffi.LaRonda@epa.gov)>; Leonard, Paul <[leonard.paul@epa.gov](mailto:leonard.paul@epa.gov)>  
**Subject:** RE: AX-17-000-8387 Cleanup of Bishop Tube Company

Have not seen this.

**KAREN MELVIN, DIRECTOR**  
**HAZARDOUS SITE CLEANUP DIVISION**  
**US EPA, REGION 3**  
**1650 ARCH STREET**  
**PHILADELPHIA, PA 19103**  
**215-814-3275**



---

**From:** Koffi, LaRonda  
**Sent:** Friday, May 12, 2017 11:53 AM  
**To:** Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>; Leonard, Paul <[leonard.paul@epa.gov](mailto:leonard.paul@epa.gov)>  
**Subject:** FW: AX-17-000-8387 Cleanup of Bishop Tube Company  
**Importance:** High

Just noticing this...are you aware of this inquiry? I suppose Site Assessment and Removal work with ORC on it?

---

**From:** Graff, Jeannine  
**Sent:** Monday, May 08, 2017 8:06 AM  
**To:** Koffi, LaRonda <[Koffi.LaRonda@epa.gov](mailto:Koffi.LaRonda@epa.gov)>  
**Cc:** Brown, Kinshasa <[Brown.Kinshasa@epa.gov](mailto:Brown.Kinshasa@epa.gov)>; Browne, Gladys <[Browne.Gladys@epa.gov](mailto:Browne.Gladys@epa.gov)>; Gonzalez, Carmen <[GONZALEZ.CARMEN@EPA.GOV](mailto:GONZALEZ.CARMEN@EPA.GOV)>; R3 Control <[R3\\_Control@epa.gov](mailto:R3_Control@epa.gov)>  
**Subject:** AX-17-000-8387 Cleanup of Bishop Tube Company

Hi LaRonda:

This is for the DD's signature. The Due Date is May 19, 2017.

There will be no hard copy given. This is your copy. Please send both signed PDF and final Word version to R3 Control upon completion.

See guidelines for correspondence at: <http://intranet.epa.gov/r3intran/ControlledCorrespondence/>.

Thanks,  
Jeannine